

A.L.P.-LEXALITE

Test Report Number: 05325
Test Item Number: PLATFORM II WITH

Report Number	05325
Test Item	PLATFORM II WITH PLATFORM II LENS AND 5000K FLEXTRON LED BOARD MOUNTED TO INSIDE TOP OF HOUSING
Product Type	LOW BAY
Test Purpose	
Sales Order Reference	
Works Order Number	
Test Item Reference	
Lab Test Method Reference	
Test Standards	IESNA LM-79-08
Lab Location Reference	
Tested by	1860
Date of Test	6/24/2015
Number of products Tested	
Analysed By	
Authorised Date	

A.L.P.-LEXALITE



Test Report Number: 05325
 Test Item Number: PLATFORM II WITH

Product Name	PLATFORM II
Part / Serial Number	PLATFORM II
Type of Product	LOW BAY
Base Type	
Driver Type	INVENTRONICS EUC-096S280DT
Operating Orientation	PENDENT
Test Orientation	PENDENT
Manufacturer	A.L.P.-LEXALITE
Date of Manufacture	
Thermal Management	
Dimmable	

Test Time (minutes)	Ambient Temperature (deg C)	Relative Humidity (%RH)	Pre-burning Time (hours)	Stabilisation Time (minutes)
105.00	24.70	0.00	0.00	63.00

Photometric Measurements

Total Luminous Flux (lm)	Electrical Power (W)	Luminous Efficacy (lm/W)	Test Distance (m)
8032.0	74.80	107.38	6.78

Electrical Measurements

Power Factor	Power (W)	Voltage (V)	Current (A)	Apparent Power (VA)	Frequency (Hz)	Current THD (%)	Voltage THD (%)
1.00	74.80	120.04	0.62	0.00	60.00	3.47	0.00

A.L.P.-LEXALITE

Test Report Number: 06326
Test Item Number: PLATFORM II WITH

Zonal Lumen Summary



	Summary Zonal Lumens	Zonal Lumens - % Lamp	Zonal Lumens - % Fixture
0 to 30	1037.19	12.91	12.91
0 to 40	2052.23	25.55	25.55
0 to 60	5144.25	64.05	64.05
0 to 90	7655.40	95.31	95.31
40 to 90	5603.17	69.76	69.76
60 to 90	2511.15	31.26	31.26
90 to 180	376.60	4.69	4.69
0 to 180	8032.00	100.00	100.00

Test Report Number: 05325
 Test Item Number: PLATFORM II WITH

Luminaire Dimensions

Sample Diameter/Length (mm)	Sample Width (mm)	Sample Height/Depth (mm)	Luminous Diameter/Length (mm)	Luminous Width (mm)	Luminous Height/Depth (mm)	Luminous C0-plane (mm)	Luminous C90-plane (mm)	Luminous C180-plane (mm)	Luminous C270-plane (mm)
-304.80	-304.80	-204.22	-304.80	-304.80	-204.22	-204.22	-204.22	-204.22	-204.22

Polar Plot (cd)



Test Report Number: 05325
 Test Item Number: PLATFORM II WITH

Coefficients of Utilisation

IES Spacing Criterion

Spacing Criterion (0 to 180)	Spacing Criterion (90 to 270)	Spacing Criterion (diagonal)
2.33	2.40	2.32

Proportion of Upward and Downward Flux from Luminaire

LOR (%)	Proportion of Upward Flux from Luminaire	Proportion of Downward Flux from Luminaire	Fixture Total Flux (lm)
100.00	0.00	0.00	8032.00

Table of Coefficients of Utilisation

RCC%	80	80	80	80	70	70	70	70	50	50	50	50	30	30	30	30	10	10	10	10	0	0	0	0
RW%	70	50	30	0	70	50	30	0	70	50	30	0	70	50	30	0	70	50	30	0	70	50	30	0
RFC%	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
RCR = 0	1.18	1.18	1.18	1.18	1.15	1.15	1.15	1.15	1.08	1.08	1.08	1.08	1.03	1.03	1.03	1.03	0.98	0.98	0.98	0.98	0.95	0.95	0.95	0.95
RCR = 1	1.05	1.00	0.95	0.88	1.02	0.97	0.92	0.86	0.96	0.92	0.88	0.83	0.90	0.87	0.84	0.79	0.85	0.82	0.80	0.76	0.83	0.80	0.78	0.75
RCR = 2	0.94	0.84	0.76	0.66	0.91	0.82	0.74	0.65	0.85	0.77	0.71	0.63	0.79	0.73	0.68	0.62	0.74	0.69	0.65	0.60	0.72	0.68	0.64	0.59
RCR = 3	0.84	0.72	0.62	0.52	0.81	0.70	0.61	0.51	0.75	0.66	0.58	0.50	0.70	0.62	0.56	0.48	0.66	0.59	0.54	0.47	0.63	0.58	0.53	0.47
RCR = 4	0.76	0.62	0.52	0.41	0.73	0.60	0.51	0.41	0.68	0.57	0.49	0.40	0.63	0.54	0.47	0.39	0.59	0.51	0.45	0.38	0.57	0.50	0.44	0.38
RCR = 5	0.69	0.54	0.44	0.33	0.66	0.53	0.43	0.33	0.61	0.50	0.41	0.32	0.57	0.47	0.40	0.32	0.53	0.45	0.38	0.31	0.51	0.44	0.38	0.31
RCR = 6	0.63	0.48	0.38	0.27	0.60	0.46	0.37	0.27	0.56	0.44	0.36	0.27	0.52	0.42	0.34	0.26	0.48	0.40	0.33	0.26	0.47	0.39	0.33	0.26
RCR = 7	0.57	0.42	0.33	0.23	0.55	0.41	0.32	0.23	0.51	0.39	0.31	0.23	0.48	0.37	0.30	0.22	0.44	0.35	0.29	0.22	0.43	0.35	0.28	0.22
RCR = 8	0.53	0.38	0.29	0.20	0.51	0.37	0.28	0.20	0.47	0.35	0.27	0.19	0.44	0.34	0.26	0.19	0.41	0.32	0.26	0.19	0.40	0.31	0.25	0.18
RCR = 9	0.49	0.34	0.25	0.17	0.47	0.34	0.25	0.17	0.44	0.32	0.24	0.17	0.41	0.31	0.24	0.16	0.38	0.29	0.23	0.16	0.37	0.29	0.22	0.16
RCR = 10	0.46	0.31	0.23	0.15	0.44	0.31	0.22	0.15	0.41	0.29	0.22	0.15	0.39	0.28	0.21	0.14	0.36	0.27	0.20	0.14	0.35	0.26	0.20	0.14

UGR Table

Reference Standard:

CIE 190:2010

UGR Table											
Ceiling Reflectance		70	70	50	50	30	70	70	50	50	30
Wall Reflectance		50	30	50	30	30	50	30	50	30	30
Floor Reflectance		20	20	20	20	20	20	20	20	20	20
Room dimensions X Y		Viewed Crosswise					Viewed Endwise				
2H	2H	15.4	17.1	15.8	17.5	18.0	15.6	17.3	16.0	17.7	18.1
	3H	17.1	18.7	17.5	19.1	19.6	17.1	18.7	17.6	19.1	19.6
	4H	17.5	19.0	18.0	19.4	19.9	17.5	19.0	17.9	19.4	19.9
	6H	17.8	19.2	18.2	19.6	20.1	17.7	19.1	18.1	19.5	20.0
	8H	17.8	19.2	18.3	19.6	20.1	17.7	19.0	18.2	19.5	20.0
	12H	17.9	19.2	18.4	19.6	20.2	17.8	19.0	18.2	19.5	20.0
4H	2H	16.0	17.5	16.5	18.0	18.4	16.2	17.7	16.6	18.1	18.6
	3H	17.8	19.1	18.3	19.6	20.1	17.8	19.1	18.3	19.6	20.1
	4H	18.3	19.4	18.8	19.9	20.5	18.2	19.4	18.7	19.9	20.4
	6H	18.6	19.6	19.1	20.1	20.7	18.5	19.5	19.0	20.1	20.6
	8H	18.7	19.7	19.2	20.2	20.7	18.6	19.6	19.1	20.1	20.6
	12H	18.8	19.7	19.3	20.2	20.8	18.7	19.5	19.2	20.1	20.7
8H	4H	18.4	19.4	19.0	19.9	20.5	18.4	19.4	18.9	19.9	20.5
	6H	18.8	19.6	19.4	20.2	20.7	18.7	19.5	19.3	20.1	20.7
	8H	18.9	19.7	19.5	20.2	20.8	18.8	19.6	19.4	20.1	20.7
	12H	19.1	19.7	19.6	20.3	20.9	19.0	19.6	19.5	20.2	20.8
12H	4H	18.4	19.3	19.0	19.9	20.4	18.4	19.3	19.0	19.8	20.4
	6H	18.8	19.5	19.4	20.1	20.7	18.8	19.5	19.3	20.0	20.7
	8H	19.0	19.6	19.6	20.2	20.8	18.9	19.5	19.5	20.1	20.8

Test Report Number: 06326
 Test Item Number: PLATFORM II WITH

Candela Table (cd)

	0.0	22.5	45.0	67.5	90.0	112.5	135.0	157.5	180.0	202.5	225.0	247.5	270.0	292.5	315.0	337.5
0.0	1021.5	1021.5	1021.5	1021.5	1021.5	1021.5	1021.5	1021.5	1021.5	1021.5	1021.5	1021.5	1021.5	1021.5	1021.5	1021.5
2.5	1022.6	1020.9	1021.3	1020.5	1019.8	1022.2	1023.6	1023.7	1023.1	1019.2	1023.3	1025.2	1024.2	1023.1	1020.4	1019.4
5.0	1022.7	1024.0	1021.5	1025.1	1026.3	1028.3	1027.4	1029.5	1025.5	1028.2	1029.6	1030.9	1030.0	1029.6	1025.3	1026.4
7.5	1028.6	1028.1	1033.1	1031.8	1036.2	1036.4	1035.7	1034.2	1035.2	1035.0	1036.0	1039.3	1040.3	1036.8	1035.3	1034.3
10.0	1045.0	1039.6	1044.9	1046.5	1050.8	1045.3	1044.8	1043.1	1046.6	1045.4	1051.3	1052.0	1051.6	1052.2	1046.9	1045.1
12.5	1075.6	1073.6	1072.8	1072.5	1076.5	1077.0	1075.1	1069.7	1076.2	1073.9	1076.8	1080.9	1084.1	1080.2	1074.9	1077.4
15.0	1111.3	1109.0	1111.6	1111.3	1116.3	1115.3	1111.2	1110.3	1109.5	1107.8	1117.3	1117.5	1121.7	1120.3	1122.5	1117.6
17.5	1150.4	1148.0	1152.2	1155.5	1154.2	1156.2	1152.9	1149.0	1147.8	1149.5	1151.7	1155.3	1160.4	1161.7	1158.8	1159.7
20.0	1195.5	1193.7	1197.5	1198.5	1200.8	1199.9	1197.9	1194.2	1189.8	1197.5	1191.9	1202.9	1203.9	1203.4	1200.7	1202.6
22.5	1246.9	1242.0	1243.8	1248.9	1255.7	1250.8	1245.4	1242.1	1236.5	1247.9	1245.3	1250.2	1254.2	1252.8	1249.8	1257.7
25.0	1314.4	1307.4	1314.8	1313.2	1320.3	1312.2	1309.5	1306.6	1308.4	1312.8	1308.5	1316.1	1323.0	1318.7	1322.3	1321.9
27.5	1394.2	1389.2	1397.2	1396.9	1401.1	1396.8	1394.1	1391.2	1395.1	1401.3	1398.6	1400.5	1400.5	1398.0	1400.8	1405.5
30.0	1481.2	1477.5	1490.8	1481.0	1486.7	1484.9	1483.4	1466.1	1471.8	1465.1	1481.2	1480.7	1487.2	1485.3	1497.3	1487.2
32.5	1551.8	1547.3	1562.0	1554.7	1570.1	1565.5	1549.6	1533.2	1531.6	1531.9	1548.6	1559.4	1571.4	1572.2	1555.4	1553.1
35.0	1599.9	1598.4	1610.8	1614.7	1634.8	1624.5	1604.8	1591.1	1590.3	1587.0	1605.7	1629.9	1646.8	1632.7	1616.4	1606.2
37.5	1662.1	1671.2	1677.3	1689.1	1703.3	1702.0	1680.5	1665.2	1638.7	1649.2	1676.1	1695.4	1720.0	1708.2	1689.5	1682.8
40.0	1682.8	1696.0	1701.6	1727.9	1744.7	1735.5	1705.2	1691.6	1662.4	1674.8	1702.6	1720.9	1754.6	1729.2	1706.8	1692.0
42.5	1729.6	1738.9	1741.3	1784.3	1793.5	1789.6	1746.9	1735.1	1708.5	1716.4	1741.5	1769.5	1791.4	1785.0	1754.3	1741.5
45.0	1769.5	1784.9	1793.7	1839.1	1829.8	1847.1	1797.8	1771.3	1753.0	1752.2	1784.3	1823.5	1835.7	1837.3	1800.6	1773.7
47.5	1812.2	1829.6	1841.8	1884.0	1907.9	1898.9	1838.7	1809.0	1802.7	1796.1	1824.7	1867.7	1897.6	1893.5	1856.7	1813.3
50.0	1870.5	1859.7	1895.5	1928.1	1956.1	1943.3	1889.1	1856.7	1866.9	1855.3	1899.3	1925.3	1953.4	1938.1	1915.1	1859.3
52.5	1911.6	1886.5	1936.4	1948.2	1993.3	1968.6	1917.8	1879.9	1882.4	1859.7	1900.0	1932.8	1963.4	1938.8	1923.5	1877.0
55.0	1901.2	1886.4	1925.4	1933.1	1989.4	1950.2	1916.0	1905.0	1854.7	1879.0	1877.1	1915.5	1939.6	1930.8	1895.8	1887.9
57.5	1848.6	1889.9	1881.4	1911.5	1930.0	1928.1	1881.1	1891.1	1815.0	1852.1	1819.9	1856.5	1872.8	1863.1	1847.2	1865.5
60.0	1797.4	1842.7	1819.7	1858.9	1862.5	1861.3	1814.1	1848.3	1744.1	1804.2	1780.3	1786.8	1790.0	1796.7	1800.9	1824.8
62.5	1713.2	1735.9	1738.8	1732.6	1729.4	1739.7	1754.6	1725.9	1665.9	1664.6	1679.9	1640.5	1641.5	1645.3	1709.7	1680.8
65.0	1587.9	1564.1	1597.4	1551.0	1563.7	1544.8	1610.1	1569.6	1535.9	1492.7	1512.6	1454.0	1472.0	1455.3	1548.4	1501.6
67.5	1396.1	1362.1	1384.8	1333.5	1346.2	1336.4	1407.0	1372.6	1342.4	1314.8	1293.5	1256.2	1241.8	1252.9	1317.7	1302.5
70.0	1169.3	1156.6	1126.4	1099.1	1088.5	1113.1	1164.4	1161.0	1119.6	1088.3	1049.0	1024.8	1003.0	1030.6	1064.2	1089.8
72.5	927.2	920.0	885.1	853.6	845.1	866.5	898.6	924.2	891.5	859.0	809.0	797.0	787.0	812.6	835.6	866.6
75.0	739.7	719.5	674.6	661.3	654.9	662.8	693.8	728.8	699.6	670.3	629.2	615.9	618.2	626.3	645.5	673.0
77.5	575.5	561.2	530.9	513.9	512.9	510.7	542.9	569.1	550.9	529.9	496.7	474.8	482.6	479.6	508.0	526.1
80.0	431.9	433.5	408.3	388.4	387.3	388.4	411.2	427.8	407.5	399.2	375.3	360.0	362.2	361.2	382.2	398.9
82.5	331.1	329.8	311.6	296.5	301.6	297.8	309.1	322.2	307.5	301.7	288.7	276.8	282.0	276.5	291.3	303.8
85.0	262.3	258.7	249.7	239.1	241.5	239.2	247.0	255.8	245.8	242.7	236.1	226.9	228.8	226.9	237.7	245.1
87.5	223.8	222.0	218.0	209.7	210.1	210.2	215.2	219.5	212.4	210.8	208.0	201.3	201.1	201.7	209.6	213.6
90.0	204.2	202.4	198.2	193.9	192.5	194.1	196.4	200.2	194.8	194.2	190.4	186.1	185.0	186.8	192.0	196.0
92.5	194.9	190.5	186.4	181.7	180.5	181.9	184.4	187.4	185.6	183.3	180.1	174.4	173.4	176.0	181.7	184.4
95.0	183.9	179.6	175.2	170.8	168.5	170.8	172.8	175.9	174.4	173.0	168.9	163.3	161.4	165.5	170.3	173.4
97.5	170.1	167.4	163.0	158.6	156.4	158.2	160.1	163.5	161.1	160.5	155.7	150.6	149.0	152.7	157.0	160.9
100.0	154.3	151.5	148.0	143.4	141.5	142.7	144.7	147.6	145.1	143.7	139.6	135.2	134.2	136.5	141.2	144.4
102.5	134.7	132.0	129.4	124.8	123.5	124.1	126.1	128.3	124.9	123.6	120.3	116.8	116.4	117.8	122.5	125.0
105.0	111.7	110.1	107.6	104.1	103.3	103.8	105.5	107.0	102.3	101.4	98.9	96.9	96.3	97.5	101.1	103.3
107.5	88.9	88.3	86.3	84.2	83.4	83.8	85.5	86.4	81.4	81.0	79.4	78.3	77.6	78.4	81.1	82.8
110.0	69.6	69.3	68.2	66.6	66.2	66.5	67.7	68.4	63.9	63.7	62.5	62.0	61.6	62.0	64.2	65.4
112.5	54.9	54.7	54.0	52.9	52.8	52.9	53.9	54.4	50.7	50.7	49.6	49.3	48.8	49.3	51.0	51.8
115.0	44.6	44.5	44.0	43.2	43.0	43.2	44.0	44.5	41.5	41.4	40.6	40.2	39.6	40.1	41.6	42.4
117.5	37.4	37.2	36.9	36.1	36.1	36.2	37.0	37.3	35.0	34.8	34.2	33.7	33.2	33.5	34.8	35.4
120.0	32.1	32.1	31.9	31.1	30.9	31.0	31.7	31.9	30.1	29.9	29.3	28.8	28.4	28.8	29.8	30.3
122.5	27.8	27.9	27.8	27.2	27.1	27.0	27.5	27.8	25.9	25.8	25.4	24.9	24.4	24.9	25.6	26.0
125.0	24.3	24.6	24.6	24.2	23.9	23.8	24.2	24.4	22.5	22.5	22.2	21.8	21.3	21.6	22.3	22.8
127.5	21.4	21.7	21.8	21.3	21.1	21.1	21.4	21.4	19.7	19.6	19.3	18.8	18.5	18.7	19.4	19.7
130.0	18.3	18.6	18.7	18.3	18.1	18.0	18.4	18.4	16.4	16.4	16.1	15.6	15.3	15.5	16.2	16.4
132.5	15.1	15.2	15.5	15.1	15.0	14.8	15.1	15.2	13.2	13.2	12.9	12.6	12.3	12.5	13.0	13.3

A.L.P.-LEXALITE

Test Report Number: 06326
Test Item Number: PLATFORM II WITH

Candela Table (cd)

	360.0
0.0	1021.5
2.5	1022.6
5.0	1022.7
7.5	1028.6
10.0	1045.0
12.5	1075.6
15.0	1111.3
17.5	1150.4
20.0	1195.5
22.5	1246.9
25.0	1314.4
27.5	1394.2
30.0	1481.2
32.5	1551.8
35.0	1599.9
37.5	1662.1
40.0	1682.8
42.5	1729.6
45.0	1769.5
47.5	1812.2
50.0	1870.5
52.5	1911.6
55.0	1901.2
57.5	1848.6
60.0	1797.4
62.5	1713.2
65.0	1587.9
67.5	1396.1
70.0	1169.3
72.5	927.2
75.0	739.7
77.5	575.5
80.0	431.9
82.5	331.1
85.0	262.3
87.5	223.8
90.0	204.2
92.5	194.9
95.0	183.9
97.5	170.1
100.0	154.3
102.5	134.7
105.0	111.7
107.5	88.9
110.0	69.6
112.5	54.9
115.0	44.6
117.5	37.4
120.0	32.1
122.5	27.8
125.0	24.3
127.5	21.4
130.0	18.3
132.5	15.1

Test Report Number: 05325
 Test Item Number: PLATFORM II WITH

Candela Table (cd)

	0.0	22.5	45.0	67.5	90.0	112.5	135.0	157.5	180.0	202.5	225.0	247.5	270.0	292.5	315.0	337.5
135.0	12.0	12.1	12.4	12.2	12.0	11.8	12.1	12.2	10.1	10.2	10.2	9.9	9.5	9.7	10.2	10.3
137.5	9.1	9.4	9.7	9.7	9.3	9.3	9.5	9.5	7.7	7.6	7.8	7.6	7.2	7.4	7.8	7.9
140.0	6.9	7.2	7.6	7.5	7.2	7.1	7.4	7.3	5.7	5.8	5.9	5.8	5.5	5.6	6.0	6.0
142.5	5.4	5.6	5.8	5.9	5.6	5.6	5.8	5.7	4.4	4.4	4.6	4.6	4.4	4.4	4.6	4.6
145.0	4.5	4.6	4.8	4.8	4.7	4.7	4.7	4.7	3.5	3.6	3.7	3.7	3.6	3.7	3.7	3.6
147.5	4.0	4.1	4.1	4.2	4.2	4.2	4.1	4.1	3.2	3.2	3.3	3.3	3.3	3.2	3.3	3.2
150.0	3.9	3.9	4.0	4.0	4.1	4.0	4.1	3.9	3.2	3.3	3.2	3.3	3.3	3.3	3.2	3.2
152.5	4.0	3.9	4.0	4.0	4.1	4.0	4.0	4.0	3.2	3.2	3.2	3.3	3.3	3.2	3.2	3.2
155.0	3.8	3.9	3.9	4.0	4.0	4.0	4.0	3.9	3.3	3.2	3.3	3.2	3.2	3.3	3.1	3.2
157.5	3.8	3.8	3.9	3.9	3.9	4.0	3.9	3.9	3.2	3.2	3.3	3.2	3.3	3.3	3.2	3.2
160.0	3.7	3.8	3.8	3.9	3.9	3.8	3.9	3.9	3.1	3.2	3.2	3.3	3.2	3.2	3.1	3.2
162.5	3.7	3.7	3.8	3.8	3.8	3.8	3.8	3.7	3.2	3.1	3.3	3.3	3.3	3.3	3.2	3.2
165.0	3.6	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.2	3.2	3.2	3.2	3.3	3.3	3.3	3.2
167.5	3.6	3.6	3.6	3.6	3.7	3.7	3.6	3.6	3.1	3.2	3.2	3.2	3.3	3.3	3.3	3.2
170.0	3.5	3.6	3.6	3.6	3.6	3.7	3.7	3.6	3.2	3.2	3.3	3.2	3.3	3.3	3.3	3.3
172.5	3.5	3.5	3.6	3.6	3.6	3.6	3.5	3.5	3.2	3.3	3.3	3.3	3.3	3.3	3.3	3.3
175.0	3.4	3.4	3.4	3.4	3.4	3.4	3.5	3.4	3.2	3.3	3.3	3.3	3.3	3.3	3.3	3.3
177.5	3.3	3.3	3.3	3.3	3.4	3.3	3.3	3.3	3.1	3.2	3.2	3.3	3.2	3.3	3.2	3.2
180.0	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2

A.L.P.-LEXALITE

Test Report Number: 05325
Test Item Number: PLATFORM II WITH

Candela Table (cd)

	360.0
135.0	12.0
137.5	9.1
140.0	6.9
142.5	5.4
145.0	4.5
147.5	4.0
150.0	3.9
152.5	4.0
155.0	3.8
157.5	3.8
160.0	3.7
162.5	3.7
165.0	3.6
167.5	3.6
170.0	3.5
172.5	3.5
175.0	3.4
177.5	3.3
180.0	3.2