



General Description

The ELNV offers the look and feel of a fluorescent luminaire — subtle soft direct elements, interest and depth across the ceiling plane — with a contemporary look that blends with today's commercial spaces.

The frosted acrylic lens provides a diffused luminance, with the effective combination of excellent light transmission and haze.

Applications


For recessed commercial applications such as offices, hospitals, schools etc. Suitable for use in standard 15/16" inverted T-Bar grid ceilings.

Features and Benefits

- Lumieo[®] acrylic diffuser manages the balance of efficiency and aesthetics
- Linear arrayed LED modules provide diffused, but effective illumination

ELNV Troffer 2x2, 2x4 LED

DateCatalog NumberProjectPrepared byTypeComments



Housing

Low profile troffer body with white enamel finish

Direct Optical Component

High performance optical engine

Diffuser Surround

Lumieo® acrylic diffuser center "V" adds character to the optical assembly

Luminaire Type

Recessed troffer fixture body assembly 2'x2' and 2'x4' size

Finish

Pre-painted white polyster polymer with minimum 82% reflectivity


Please contact A.L.P. for pricing and delivery.


A.L.P will support design and development with customer supplied light engines.


All specifications subject to change without notice. A.L.P. Lighting Components, Inc. assumes no responsibility for these materials in any luminaire or application.


The product is an OEM component kit requiring final assembly by a qualified OEM fixture manufacturer.











Report Number:	Zonal	Lumen Sum	mary
s15070025s-01	Zone	Lumens	%Fixt
Test Date: 07/29/15 Product Number:	0-30	1295.61	27.50
ELNV24-4850-1	0-40	2115.92	44.90
Lumens: 4713.9	0-60	3728.13	78.10
Watts: 48	0-90	4708.3	99.90
Luimens Per Watt: 98 CRI: 80	0-180	4713.94	100.0
CCT: 3500K	Spacing Criteria		
	0-180	1.28	
	90-270	1.22	
	DIA	1.38	

ELNV Metal Component Kits			
Kit Number	Component	Qty	
EL-2x2-2LL			
STL22B-2LL 370-20C STL2END-SK ACPLS	2ft LED Body 2ft Cover 2ft End Small Access Plate White	1 1 2 1	
EL-2x4-2LL		·	
STL24B-2LL 370-40C STL2END-SK ACPLS	4ft Shallow LED Body 4ft Cover 2ft End Small Access Plate White	1 1 2 1	

Shielding Options			
Part Number	Description	Qty	
ELNV22-W ELNV24-W	ELNV 2x2 Door White ELNV 2x4 Door White	1 1	

Optional Hardware			
Part Number	Description		
SCR8001 RIV41431W SCR8GND SCR4002	#8-18X.25XTYPE B, Hex/Slot/Phl D41-43BS MULTI Grip Rivet White #8-32X1/4 Slot/Hex Green Zinc #4-40x3/16 Phil Pan Zinc Thread Cut Screw, LED		

Ph: (877) 257-5841 • Fx: (773) 774-9331 www.alpadvantage.com

 $\ensuremath{\textcircled{C}}$ 2017 A.L.P. Lighting Components, Inc. Sheet/REV# ELNV 2x2 2x4 SPEC082818