


The Little Lindy®: Value Priced, Prismatic Post-Top Refractor for New Installation, Retrofit Upgrades, and Aftermarket Replacement.

New one-piece version is an even better value with fewer parts, no on-site assembly, fast installation, and lower maintenance.



- The Little Lindy® is a competitively priced alternative to upgrade post-top performance.
- New, one-piece option requires no on-site assembly. Simply remove from the box, set into fitter, and tighten set screws.
- Injection molded optics provide superior performance over glass or blow-molded acorns.
- Measures 19" tall by 14" in diameter
- Materials:
 - o UV stabilized Clear Acrylic
 - o UV stabilized Clear Polycarbonate
 - o Diffuse Acrylic for maximum light source hiding
- Clear Acrylic has ten-year warranty against yellowing.
- Type V distribution (Type III quoted on request).
- LiteLid® technology improves bug rating (optional).
- Finials, fitters, clamp bands also offered (optional).
- Available as a retrofit kit.




A.L.P.

LEXALITE®
AN **A.L.P.** BRAND

Type III Fixture Performance for Reference Only

Report Number: ITL54652
Total Luminaire Efficiency:
 81.9%
IES Classification: Type III,
 Medium, Non-cutoff


Tested in accordance with IES standards. Photometry based on a 100W clear, metal halide lamp



Type V Fixture Performance for Reference Only

Report Number: LLO2430
Total Luminaire Efficiency:
 88.46%
IES Classification: Type V,
 semi-cutoff

Tested in accordance with IES standards. Photometry based on a 100W clear, metal halide lamp



Materials

See the Lexalite® brand price list for current part numbers and material offerings. Up-to-date and detailed material specifications can be found in the Resources section on our website www.alpadvantage.com.

When using an acrylic Model 408, the surface temperature of the refractor should not exceed 80°C. When using a polycarbonate Model 408, the surface temperature of the refractor should not exceed 90°C.


Adhesive note

The adhesive offers superior flexibility and adhesion for a durable, 100% waterproof and weatherproof seal that won't crack or shrink. It stays flexible to withstand expansion and contraction caused by temperature and weather fluctuations. The crystal-clear adhesive blends seamlessly with substrates. It can be applied in extreme temperatures: 20°F to 120°F and adheres to wet/damp surfaces. Once cured, the sealant is mold and mildew resistant. It is low in odor and VOC compliant. Meets ASTM C920, Class 25.

Notice

A.L.P. assumes no responsibility for suitability of these materials in any luminaire or application. Please test for fit and function prior to ordering project quantities.


While A.L.P. utilizes IESNA testing procedures and believes our testing results to be accurate, A.L.P. provides photometry for reference only. Actual results will vary based on the actual light source(s) and power source(s) used, i.e. ballast, driver generator, etc. and the combinations in which they are used, as well as operating temperatures, and other electrical and environmental variables. We urge that customers perform their own fixture qualifications prior to making performance based claims. In no event will A.L.P. be liable for any loss, damage, including without limitation, indirect or consequential loss or damage in connection with the use of this information.



These drawings are for reference only. Actual part dimensions will vary. Customer is urged to review actual samples to confirm fit and function. All specifications and dimensions are subject to change without notice.

400 Series – The Little Lindy®

The Little Lindy Model 408 Series Refractor & Model 408 Top Prismatic post top refractor. Use in parks, along walkways and roadways for pole heights from 8 – 14 feet. Assembly measures 14.11” diameter, 19.05” high, with an 8” neck.




Model 408 Top and Bottom, shown with optional Finial

Model Number	8" Neck Part Number	Material	Order Quantities		
			Min. 60	180	360+
408 SERIES BOTTOM REFRACTOR**					
408	983982	ACRYLIC-LG TYPE V	\$18.28	\$17.40	\$16.23
408	983995	LUMIEO® ACRYLIC TYPE V	Inquire	\$18.68	\$17.43
408	983987	POLYCARBONATE TYPE V	Inquire	\$21.09	\$19.67
* Packaging: 5 pcs./ctn.; 18 ctns. on pallet. 90 pcs. total.					
Model Number	Part Number	Material	Min. 60	180	360+
408 SERIES TOP, INJECTION MOLDED - includes clip set.					
408	984034	ACRYLIC-LG	\$9.95	\$9.47	\$8.84
408	984053	LUMIEO® ACRYLIC	Inquire	\$10.09	\$9.41
408	984031	POLYCARBONATE	Inquire	\$11.31	\$10.55
* Packaging: 5 pcs./ctn.; 36 ctns. on pallet. 180 pcs. total.					

ACCESSORIES

Model Number	Part Number	Material	Min. 60+
CLAMP BAND - to attach the 408 Series Refr to the 408 or other tops.			
408	805325	STAINLESS STEEL	\$12.87
* Packaging: Please inquire.			
LiteLid - Perforated alum refl designed to mate with our 408 Series.			
408P	805352	ALUMINUM	\$24.60
* Packaging: 5 pcs./ctn.			
LiteLid - Non-perforated alum refl designed to mate with our 408 Series.			
408N	805350	ALUMINUM	\$23.76
* Packaging: 5 pcs./ctn.			
Model Number	Part Number	Material	Min. 5
CLIP SET - to attach the 408 Series Refractor to the 408 Series Top.			
408	983965	POLYCARBONATE	\$1.18
* Packaging: 6 pcs./set.			
Model Number	Part Number	Material	Min. 60
8" Post-Top Capital Fitter - cast aluminum, painted black, w/ballast bracket, fits 3" tenon. Mounting screws installed- ballast NOT incl.			
408	805315	MOGUL BASE	\$78.43
408	805313	MED BASE	\$78.43
* Packaging: Please inquire.			
ALUMINUM NECK RING - protects neck from metal screws.			
408	805316	ALUMINUM	\$7.84
* Packaging: Please inquire.			
FINIALS - decorative post top finial assembly.			
SPIKE	709917	ASSEMBLY - Ptd Blk	\$6.76
SPIKE	709919	ASSEMBLY - Raw Aluminum	\$6.76
Note: This packaged finial assembly includes 1 each finial, silicone gasket, fender washer 1/4x1-1/4 and socket screw 1/4x5/8.			
* Packaging: Please inquire.			



Model 408 Post-Top Capital Fitter

* A \$25 charge applies to each broken carton.

** Type III bottoms available upon request.

Before final installation of Lindy and 800 Series Reflexors, dissipate static on parts by spraying them with de-staticized air or by wiping with a clean damp rag. This will help minimize dust build up on the products.

The Little Lindy 408 Series Refractor and Top Assembly

LexaLite® an A.L.P. Brand - Effective July 1, 2020

To order – Via Fax: 800-438-2500 toll-free or 773-774-9331 direct

Via E-mail: orders@alplighting.com

For information, call: 800-621-1348 toll-free, 773-774-9550 direct

WESTERN HEMISPHERE

www.alpadvantage.com

<http://alpadvantage.com/terms-and-conditions/>

400 Series – The Little Lindy®

Lexalite's 408 series Assembly is designed for LED and HID new construction and retrofit applications. Assembly measures 14.11" diameter, 19.05" high, with an 8" neck.

Two options for attaching the bottom and top together:

- 1) Adhesive
- 2) Plastic clips

Assembly Base Price Includes:

- 408 Series top and bottom assembly attached together using adhesive or clips.
- Bottom refractor available in Type V IES distributions, with an eight-inch neck.
- Type III available upon request**
- Packaged 1 to a carton.

Model Number	Assembly Base Price	Order Quantities		
		Min. 60	180	360+
408	ACRYLIC-LG	\$40.42	\$38.80	\$36.78
408	LUMIEO™ ACRYLIC	Inquire	\$42.30	\$40.09
408	POLYCARBONATE	Inquire	\$44.20	\$42.19

Packaging: 1 piece/ctn.; 18 ctns. on pallet. 18 pieces total.

ADDITIONAL OPTIONS

Part Number Example: A5PFC

Component pricing below reflects first column price break.

Material

A = Acrylic
L = Lumieo Acrylic
P = Polycarbonate

LiteLid® Option

P = Perforated LiteLid - Add \$24.60
N = Non-Perforated LiteLid - Add \$23.76
O = No LiteLid

Other Options

C = Stainless Steel Clamp Band - Add \$12.87
N = Aluminum Neck Ring - Add \$7.84
O = No Other Option
G = Glued one-piece/ Adhesive


I A	I 5	I P	I F	I C
--------	--------	--------	--------	--------

IES Distribution Type


3 = Type III**
5 = Type V

Finial or Hole Option

S = Spike Finial - Add \$6.76
SR = Spike Raw Finial - Add \$6.76
C = Custom Hole - Add \$6.00
H = Hole 0.3125" diameter
O = No Finial or Hole Option



NEW Glued 408 Lindy*



***NEW One piece Glued 408 Lindy assembly provides a quick and easy, time saving mounting solution.**

***NO clips or clamp bands required.**

***Base price does not include: Finial, LiteLid, Fitter, Clamp band, or Neck ring.**

***Customization available. Please contact your local BBS salesperson or CSR.**

Before final installation of Lindy and 800 Series Reflexors, dissipate static on parts by spraying them with de-staticized air or by wiping with a clean damp rag. This will help minimize dust build up on the products.

LexaLite® an A.L.P. Brand - Effective July 1, 2020

To order – Via Fax: 800-438-2500 toll-free or 773-774-9331 direct

Via E-mail: orders@alplighting.com

For information, call: 800-621-1348 toll-free, 773-774-9550 direct

WESTERN HEMISPHERE

www.alpadvantage.com

<http://alpadvantage.com/terms-and-conditions/>