



### General Description

The ELFT3 curved ribbed center troffer luminaire component kit is an unwired LED fixture kit that features a luminous diffuser highlighted by a curved center ribbed design detail. It leverages A.L.P.'s proven, durable 2'x2' EL housings and door frame for performance and versatility. A new, low profile external driver box improves performance and efficiency.

### Features and Benefits

- Available in standard 2'x2' size
- Driver is mounted outside the fixture cavity in a spec grade driver box with multiple wiring entry points
- Complete access to the driver compartment is available from the floor side of the installed unit
- Designed for use with Emitter LED boards (not provided)

### Applications

For use in commercial applications such as offices, schools, lobbies and any space which utilizes grid ceiling systems and uses troffers for illumination.

### Ordering Information

Please call 877-257-5841 for price and delivery.

## ELFT3 Curved Ribbed Center Troffer Luminaire Component Kit

*A revolutionary uniformly luminous, evenly diffused component set to produce a specification grade troffer luminaire with visual sculpture and depth.*

### Diffuser

2'x2' constructed with proprietary blend of LED acrylic and impact acrylic resins.

### Light transmission

Approximately 75% with excellent pixel hiding power. Custom Formulations with higher Light Transmission and higher pixel hiding power available upon request.

### Housing

3-3/4" deep. Die-formed 23-gauge steel.

### Ends

Snap into housing or can be secured with #8 x 3/8" screw or 1/8" pop rivet with 1/8" to 3/16" grip (not included).

### Driver Box

Mounted outside the fixture and access to the driver compartment is available from the floor side of the installed unit.


### Housing Finish

White polyester polymer with a minimum 82% reflectivity.



## ELFT3 Curved Ribbed Center Troffer Luminaire Component Kit

### Diffuser Dimensions





### RLR FT3 Curved Ribbed Center Troffer Diffuser


Diffuser Part Number	Description	Size
FT3-22-S84-ALP	2'x2' curved ribbed center troffer diffuser to fit A.L.P. EL housing	2x2

### EL Housings and Door Frame


Kit Part Number	Description	Size
EL-2x2-FTC	2'x2' A.L.P. EL housing with clean or "flat" body for LED modules	2x2



### End Profile with Driver Box



### Sample



### Wiring Diagram



### Notice

Dimensions subject to change without notice. This product is an OEM component kit requiring final assembly by a qualified OEM fixture manufacturer.

**A.L.P.**  
6333 Gross Point Road, Niles, IL 60714

Ph: (877) 257-5841 • Fx: (773) 774-9331  
[www.alpadvantage.com](http://www.alpadvantage.com)

Represented by:  
**Ph. 800.621.1348**



EL FT3 VN040522



### General Description

The ELFT3 curved ribbed center troffer luminaire component kit is an unwired LED fixture kit that features a luminous diffuser highlighted by a curved center ribbed design detail. It leverages A.L.P.'s proven, durable 2'x4' EL housings and door frame for performance and versatility. A new, low profile external driver box improves performance and efficiency.

### Features and Benefits

- Available in standard 2'x4' size
- Driver is mounted outside the fixture cavity in a spec grade driver box with multiple wiring entry points
- Complete access to the driver compartment is available from the floor side of the installed unit
- Designed for use with Emitter LED boards (not provided)

### Applications

For use in commercial applications such as offices, schools, lobbies and any space which utilizes grid ceiling systems and uses troffers for illumination.

### Ordering Information

Please call 877-257-5841 for price and delivery.

## EL FT3 Curved Ribbed Center Troffer Luminaire Component Kit

*A revolutionary uniformly luminous, evenly diffused component set to produce a specification grade troffer luminaire with visual sculpture and depth.*

### Diffuser

2'x4' constructed with proprietary blend of LED acrylic and impact acrylic resins.

### Light transmission

Approximately 75% with excellent pixel hiding power. Custom Formulations with higher Light Transmission and higher pixel hiding power available upon request.

### Housing

3-3/4" deep. Die-formed 23-gauge steel.

### Ends

Snap into housing or can be secured with #8 x 3/8" screw or 1/8" pop rivet with 1/8" to 3/16" grip (not included).

### Driver Box

Mounted outside the fixture and access to the driver compartment is available from the floor side of the installed unit.


### Housing Finish

White polyester polymer with a minimum 82% reflectivity.



## EL FT3 Curved Ribbed Center Troffer Luminaire Component Kit

### Diffuser Dimensions




### RLR FT3 Curved Ribbed Center Troffer Diffuser

Diffuser Part Number	Description	Size
FT3-24-S84-ALP	2'x4' curved ribbed center troffer diffuser to fit A.L.P. EL housing	2x4




### EL Housings and Door Frame

Kit Part Number	Description	Size
EL-2x4-FTC	2'x4' A.L.P. EL housing with clean or "flat" body for LED modules	2x4

### End Profile with Driver Box



### Wiring Diagram



### Notice

Dimensions subject to change without notice. This product is an OEM component kit requiring final assembly by a qualified OEM fixture manufacturer.

**A.L.P.**  
6333 Gross Point Road, Niles, IL 60714

Ph: (877) 257-5841 • Fx: (773) 774-9331  
[www.alpadvantage.com](http://www.alpadvantage.com)

Represented by:  
**Ph. 800.621.1348**



EL FT3 VN040522



### General Description

The ELFT10 curved body troffer luminaire component kit is an unwired LED fixture kit that features a diffuser highlighted by a gentle, subtly curved shaped diffuser. It leverages A.L.P.'s proven, durable 2'x2' EL housings and door frame for performance and versatility. A new, low profile external driver box improves performance and efficiency.

### Features and Benefits

- Available in standard 2'x2' size
- Driver is mounted outside the fixture cavity in a spec grade driver box with multiple wiring entry points
- Complete access to the driver compartment is available from the floor side of the installed unit
- Designed for use with Emitter LED boards (not provided)

### Applications

For use in commercial applications such as offices, schools, lobbies and any space which utilizes grid ceiling systems and uses troffers for illumination.

### Ordering Information

Please call 877-257-5841 for price and delivery.

## ELFT10 Curved Body Troffer Luminaire Component Kit

*A revolutionary uniformly luminous, evenly diffused component set to produce a specification grade troffer with visual sculpture and depth.*

### Diffuser

2'x2' constructed with proprietary blend of LED acrylic and impact acrylic resins.

### Light transmission

Approximately 75% with excellent pixel hiding power. Custom Formulations with higher Light Transmission and higher pixel hiding power available upon request.

### Housing

3-3/4" deep. Die-formed 23-gauge steel.

### Ends

Snap into housing or can be secured with #8 x 3/8" screw or 1/8" pop rivet with 1/8" to 3/16" grip (not included).

### Driver Box


Mounted outside the fixture and access to the driver compartment is available from the floor side of the installed unit.

### Housing Finish

White polyester polymer with a minimum 82% reflectivity.



### Diffuser Dimensions




### RLR FT10 Curved Body Troffer Diffuser


Diffuser Part Number	Description	Size
FT10-22-S84-ALP	2'x2' curved body center troffer diffuser to fit A.L.P. EL housing	2x2

### EL Housings and Door Frame


Kit Part Number	Description	Size
EL-2x2-FTC	2'x2' A.L.P. EL housing with clean or "flat" body for LED modules	2x2




### End Profile with Driver Box



### Sample



### Wiring Diagram



### Notice

Dimensions subject to change without notice. This product is an OEM component kit requiring final assembly by a qualified OEM fixture manufacturer.

**A.L.P.**  
6333 Gross Point Road, Niles, IL 60714

Ph: (877) 257-5841 • Fx: (773) 774-9331  
[www.alpadvantage.com](http://www.alpadvantage.com)

**Represented by:**  
**Ph. 800.621.1348**



EL FT10 VN040522



### General Description

The ELFT10 curved body troffer luminaire component kit is an unwired LED fixture kit that features a diffuser highlighted by a gentle, subtly curved shaped diffuser. It leverages A.L.P.'s proven, durable 2'x4' EL housings and door frame for performance and versatility. A new, low profile external driver box improves performance and efficiency.

### Features and Benefits

- Available in standard 2'x4' size
- Driver is mounted outside the fixture cavity in a spec grade driver box with multiple wiring entry points
- Complete access to the driver compartment is available from the floor side of the installed unit
- Designed for use with Emitter LED boards (not provided)

### Applications

For use in commercial applications such as offices, schools, lobbies and any space which utilizes grid ceiling systems and uses troffers for illumination.

### Ordering Information

Please call 877-257-5841 for price and delivery.

## ELFT10 Curved Body Troffer Luminaire Component Kit

*A revolutionary uniformly luminous, evenly diffused component set to produce a specification grade troffer with visual sculpture and depth.*

### Diffuser

2'x4' constructed with proprietary blend of LED acrylic and impact acrylic resins.

### Light transmission

Approximately 75% with excellent pixel hiding power. Custom Formulations with higher Light Transmission and higher pixel hiding power available upon request.

### Housing

3-3/4" deep. Die-formed 23-gauge steel.

### Ends

Snap into housing or can be secured with #8 x 3/8" screw or 1/8" pop rivet with 1/8" to 3/16" grip (not included).


### Driver Box

Mounted outside the fixture and access to the driver compartment is available from the floor side of the installed unit.

### Housing Finish

White polyester polymer with a minimum 82% reflectivity.

## Diffuser Dimensions




## RLR FT10 Curved Body Troffer Diffuser

Diffuser Part Number	Description	Size
FT10-24-S84-ALP	2'x4' curved body center troffer diffuser to fit A.L.P. EL housing	2x4




## EL Housings and Door Frame

Kit Part Number	Description	Size
EL-2x4-FTC	2'x4' A.L.P. EL housing with clean or "flat" body for LED modules	2x4

## End Profile with Driver Box



## Wiring Diagram



## Notice

Dimensions subject to change without notice. This product is an OEM component kit requiring final assembly by a qualified OEM fixture manufacturer.

**A.L.P.**  
6333 Gross Point Road, Niles, IL 60714

Ph: (877) 257-5841 • Fx: (773) 774-9331  
[www.alpadvantage.com](http://www.alpadvantage.com)

**Represented by:**  
**Ph. 800.621.1348**



EL FT10 VN040522





### General Description

The ELFT13 flat center troffer luminaire component kit is an unwired LED fixture kit that features a diffuser highlighted by a flat center section design motif. It leverages A.L.P.'s proven, durable 2'x2' EL housings and door frame for performance and versatility. A new, low profile external driver box improves performance and efficiency.

### Features and Benefits

- Available in standard 2'x2' size
- Driver is mounted outside the fixture cavity in a spec grade driver box with multiple wiring entry points
- Complete access to the driver compartment is available from the floor side of the installed unit
- Designed for use with Standard LED boards (not provided)
- Innovative Center Steel reflector

### Applications

For use in commercial applications such as offices, schools, lobbies and any space which utilizes grid ceiling systems and uses troffers for illumination.

### Ordering Information

Please call 877-257-5841 for price and delivery.

## ELFT13 Flat Center Troffer Luminaire Component Kit

*A revolutionary uniformly luminous, evenly diffused component set to produce a specification grade troffer with visual sculpture and depth.*

### Diffuser

2'x2' constructed with proprietary blend of LED acrylic and impact acrylic resins.

### Light transmission

Approximately 75% with excellent pixel hiding power. Custom Formulations with higher Light Transmission and higher pixel hiding power available upon request.

### Housing

3-3/4" deep. Die-formed 23-gauge steel.

### Ends

Snap into housing or can be secured with #8 x 3/8" screw or 1/8" pop rivet with 1/8" to 3/16" grip (not included).


### Driver Box

Mounted outside the fixture and access to the driver compartment is available from the floor side of the installed unit.

### Housing Finish

White polyester polymer with a minimum 82% reflectivity.

### Diffuser Dimensions




### RLR FT13 Flat Center Troffer Diffuser


Diffuser Part Number	Description	Size
FT13-22-S84-ALP	2'x2' flat center troffer diffuser to fit A.L.P. EL housing	2x2

### EL Housings and Door Frame


Kit Part Number	Description	Size
EL-2x2-FTV	2'x2' A.L.P. EL housing with V-Shaped divider option	2x2




### End Profile with Driver Box



### Sample



### Wiring Diagram



### Notice

Dimensions subject to change without notice. This product is an OEM component kit requiring final assembly by a qualified OEM fixture manufacturer.

A.L.P.  
6333 Gross Point Road, Niles, IL 60714

Ph: (877) 257-5841 • Fx: (773) 774-9331  
www.alpadvantage.com

Represented by:  
Ph. 800.621.1348



EL FT13 VN040522



### General Description

The ELFT13 flat center troffer luminaire component kit is an unwired LED fixture kit that features a diffuser highlighted by a flat center section design motif. It leverages A.L.P.'s proven, durable 2'x4' EL housings and door frame for performance and versatility. A new, low profile external driver box improves performance and efficiency.

### Features and Benefits

- Available in standard 2'x4' size
- Driver is mounted outside the fixture cavity in a spec grade driver box with multiple wiring entry points
- Complete access to the driver compartment is available from the floor side of the installed unit
- Designed for use with Standard LED boards (not provided)
- Innovative Center Steel reflector

### Applications

For use in commercial applications such as offices, schools, lobbies and any space which utilizes grid ceiling systems and uses troffers for illumination.

### Ordering Information

Please call 877-257-5841 for price and delivery.

## ELFT13 Flat Center Troffer Luminaire Component Kit

*A revolutionary uniformly luminous, evenly diffused component set to produce a specification grade troffer with visual sculpture and depth.*

### Diffuser

2'x4' constructed with proprietary blend of LED acrylic and impact acrylic resins.

### Light transmission

Approximately 75% with excellent pixel hiding power. Custom Formulations with higher Light Transmission and higher pixel hiding power available upon request.

### Housing

3-3/4" deep. Die-formed 23-gauge steel.

### Ends

Snap into housing or can be secured with #8 x 3/8" screw or 1/8" pop rivet with 1/8" to 3/16" grip (not included).


### Driver Box

Mounted outside the fixture and access to the driver compartment is available from the floor side of the installed unit.

### Housing Finish

White polyester polymer with a minimum 82% reflectivity.

## Diffuser Dimensions




## RLR FT13 Flat Center Troffer Diffuser

Diffuser Part Number	Description	Size
FT13-24-S84-ALP	2'x4' flat center troffer diffuser to fit A.L.P. EL housing	2x4

## EL Housings and Door Frame




Kit Part Number	Description	Size
EL-2x4-FTV	2'x4' A.L.P. EL housing with V-Shaped divider option	2x4

## End Profile with Driver Box



Section A

## Wiring Diagram



## Notice

Dimensions subject to change without notice. This product is an OEM component kit requiring final assembly by a qualified OEM fixture manufacturer.

**A.L.P.**  
6333 Gross Point Road, Niles, IL 60714

Ph: (877) 257-5841 • Fx: (773) 774-9331  
[www.alpadvantage.com](http://www.alpadvantage.com)

**Represented by:**  
**Ph. 800.621.1348**



EL FT13 VN040522



### General Description

The ELFT15 compound concave body troffer luminaire component kit is an unwired LED fixture kit that features a diffuser highlighted by a unique compound curved architecturally shaped center section. It leverages A.L.P.'s proven, durable 2'x2' EL housings and door frame for performance and versatility. A new, low profile external driver box improves performance and efficiency.

### Features and Benefits

- Available in standard 2'x2' size
- Driver is mounted outside the fixture cavity in a spec grade driver box with multiple wiring entry points
- Complete access to the driver compartment is available from the floor side of the installed unit
- Designed for use with Emitter LED boards (not provided)

### Applications

For use in commercial applications such as offices, schools, lobbies and any space which utilizes grid ceiling systems and uses troffers for illumination.

### Ordering Information

Please call 877-257-5841 for price and delivery.

## ELFT15 Concave Body Troffer Luminaire Component Kit

*A revolutionary uniformly luminous, evenly diffused component set to produce a specification grade troffer with visual sculpture and depth.*

### Diffuser

2'x2' constructed with proprietary blend of LED acrylic and impact acrylic resins.

### Light transmission

Approximately 75% with excellent pixel hiding power. Custom Formulations with higher Light Transmission and higher pixel hiding power available upon request.

### Housing

3-3/4" deep. Die-formed 23-gauge steel.

### Ends

Snap into housing or can be secured with #8 x 3/8" screw or 1/8" pop rivet with 1/8" to 3/16" grip (not included).

### Driver Box


Mounted outside the fixture and access to the driver compartment is available from the floor side of the installed unit.

### Housing Finish

White polyester polymer with a minimum 82% reflectivity.



### Diffuser Dimensions




### RLR FT15 Concave Body Troffer Diffuser


Diffuser Part Number	Description	Size
FT15-22-S84-ALP	2'x2' concave body center troffer diffuser to fit A.L.P. EL housing	2x2

### EL Housings and Door Frame


Kit Part Number	Description	Size
EL-2x2-FTC	2'x2' A.L.P. EL housing with clean or "flat" body for LED modules	2x2




### End Profile with Driver Box



### Sample



### Wiring Diagram



### Notice

Dimensions subject to change without notice. This product is an OEM component kit requiring final assembly by a qualified OEM fixture manufacturer.

**A.L.P.**  
6333 Gross Point Road, Niles, IL 60714

Ph: (877) 257-5841 • Fx: (773) 774-9331  
[www.alpadvantage.com](http://www.alpadvantage.com)

**Represented by:**  
**Ph. 800.621.1348**



EL FT15 VN040522



### General Description

The ELFT15 compound concave body troffer luminaire component kit is an unwired LED fixture kit that features a diffuser highlighted by a unique compound curved architecturally shaped center section. It leverages A.L.P.'s proven, durable 2'x4' EL housings and door frame for performance and versatility. A new, low profile external driver box improves performance and efficiency.

### Features and Benefits

- Available in standard 2'x4' size
- Driver is mounted outside the fixture cavity in a spec grade driver box with multiple wiring entry points
- Complete access to the driver compartment is available from the floor side of the installed unit
- Designed for use with Emitter LED boards (not provided)

### Applications

For use in commercial applications such as offices, schools, lobbies and any space which utilizes grid ceiling systems and uses troffers for illumination.

### Ordering Information

Please call 877-257-5841 for price and delivery.

## ELFT15 Concave Body Troffer Luminaire Component Kit

*A revolutionary uniformly luminous, evenly diffused component set to produce a specification grade troffer with visual sculpture and depth.*

### Diffuser

2'x4' constructed with proprietary blend of LED acrylic and impact acrylic resins.

### Light transmission

Approximately 75% with excellent pixel hiding power. Custom Formulations with higher Light Transmission and higher pixel hiding power available upon request.

### Housing

3-3/4" deep. Die-formed 23-gauge steel.

### Ends

Snap into housing or can be secured with #8 x 3/8" screw or 1/8" pop rivet with 1/8" to 3/16" grip (not included).


### Driver Box

Mounted outside the fixture and access to the driver compartment is available from the floor side of the installed unit.

### Housing Finish

White polyester polymer with a minimum 82% reflectivity.

## Diffuser Dimensions




## RLR FT15 Concave Body Troffer Troffer Diffuser

Diffuser Part Number	Description	Size
FT15-24-S84-ALP	2'x4' concave body center troffer diffuser to fit A.L.P. EL housing	2x4




## EL Housings and Door Frame

Kit Part Number	Description	Size
EL-2x4-FTC	2'x4' A.L.P. EL housing with clean or "flat" body for LED modules	2x4

## End Profile with Driver Box



## Wiring Diagram



## Notice

Dimensions subject to change without notice. This product is an OEM component kit requiring final assembly by a qualified OEM fixture manufacturer.

**A.L.P.**  
6333 Gross Point Road, Niles, IL 60714

Ph: (877) 257-5841 • Fx: (773) 774-9331  
[www.alpadvantage.com](http://www.alpadvantage.com)

**Represented by:**  
**Ph. 800.621.1348**



EL FT15 VN040522